

Author index

- Aamiri, A. *see* Mouly, V.
 Ahmed, M.S., von Lueder, T.G., Oie, E., Kjekshus, H. & Attramadal, H. Induction of myocardial connective tissue growth factor in pacing-induced heart failure in pigs, 27
 Akiyama, T. *see* Kawada, T.
 Attramadal, H. *see* Ahmed, M.S.
 Bahi, L. *see* Letout, A.
 Bie, P. *see* Kjolby, M.J.
 Bigard, X. *see* Letout, A.
 Bigot, A. *see* Mouly, V.
 Birkeland, J.A. *see* Sjaastad, I.
 Bistrup, C., Thieson, H.C., Jensen, B.L. & Skott, O. Reduced activity of 11 β -hydroxysteroid dehydrogenase type 2 is not responsible for sodium retention in nephrotic rats, 161
 Bjørnerheim, R. *see* Sjaastad, I.
 Bogdanova, A. & Koivisto, A.-P. Editor's Choice, 171
 Brennesvik, E.O. *see* Jensen, J.
 Butler-Browne, G.S. *see* Mouly, V.
 Buus, C.L. *see* Frøbert, O.
 Caligiuri, G. *see* Hemdahl, A.-L.
 Cooper, R.N. *see* Mouly, V.
 Degens, H., Sanchez Horneros, J.M., Heijdra, Y.F., Dekhuijzen, P.N.R. & Hopman, M.T.E. Skeletal muscle contractility is preserved in COPD patients with normal fat-free mass, 235
 Dekhuijzen, P.N.R. *see* Degens, H.
 Deller, M. *see* Tiidus, P.M.
 Di Donna, S. *see* Mouly, V.
 Divet, A., Lompre, A.-M. & Huchet-Cadiou, C. Effect of cyclopiazonic acid, an inhibitor of the sarcoplasmic reticulum Ca-ATPase, on skeletal muscles from normal and mdx mice, 173
 Dulloo, A.G. A role for suppressed skeletal muscle thermogenesis in pathways from weight fluctuations to the insulin resistance syndrome, 295
 Ekman, M. *see* Wiik, A.
 Engstrand, L. *see* Henriksnäs, J.
 Esbjörnsson, M. *see* Wiik, A.
 Favier, R. *see* Letout, A.
 Ferrier, G. *see* Sjaastad, I.
 Frøbert, O., Buus, C.L. & Rembold, C.M. HSP20 phosphorylation and interstitial metabolites in hypoxia-induced dilation of swine coronary arteries, 37
 Furling, D. *see* Mouly, V.
 Gidaro, T. *see* Mouly, V.
 Goglia, F. *see* Silvestri, E.
 Goto, M. *see* Terada, S.
 Gustafsson, T. *see* Wiik, A.
 Haman, F. *see* Weber, J.-M.
 Hansson, G.K. *see* Hemdahl, A.-L.
 Hassi, J. *see* Leppäluoto, J.
 Haug, E. *see* Kamycheva, E.
 Haug, T.M. *see* Mork, H.K.
 Heijdra, Y.F. *see* Degens, H.
 Hemdahl, A.-L., Caligiuri, G., Hansson, G.K. & Thorén, P. Electrocardiographic characterization of stress-induced myocardial infarction in atherosclerotic mice, 87
 Henriksnäs, J., Phillipson, M., Petersson, J., Engstrand, L. & Holm, L. An *in vivo* model for gastric physiological and pathophysiological studies in the mouse, 151
 Hohtola, E. Foreword, 253
 Holm, L. *see* Henriksnäs, J.
 Hopman, M.T.E. *see* Degens, H.
 Howlett, S. *see* Sjaastad, I.
 Huchet-Cadiou, C. *see* Divet, A.
 Inoue, H. *see* Koike, T.
 Jacquemin, V. *see* Mouly, V.
 Jansson, E. *see* Wiik, A.
 Jebens, E. *see* Jensen, J.
 Jensen, B.L. *see* Bistrup, C.
 Jensen, F.B. Nitrite transport into pig erythrocytes and its potential biological role, 243
 Jensen, J., Ruzzin, J., Jebens, E., Brennesvik, E.O. & Knardahl, S. Improved insulin-stimulated glucose uptake and glycogen synthase activation in rat skeletal muscles after adrenaline infusion: role of glycogen content and PKB phosphorylation, 121
 Johansson, O. *see* Wiik, A.
 Jorde, R. *see* Kamycheva, E.
 Jørgensen, L.V. *see* Nielsen, J.S.
 Kamycheva, E., Jorde, R., Haug, E., Sager, G. & Sundsfjord, J. Effects of acute hypercalcaemia on blood pressure in subjects with and without parathyroid hormone secretion, 113
 Kasikcioglu, E. Diastolic performance in the aged heart, 83
 Katahira, K. *see* Waki, H.
 Katsuda, S. *see* Waki, H.
 Kawada, T., Yamazaki, T., Akiyama, T., Shishido, T., Mori, H. & Sugimachi, M. Myocardial interstitial choline and glutamate levels during acute myocardial ischaemia and local ouabain administration, 187
 Kawanaka, K. *see* Terada, S.
 Kiens, B. *see* Roepstorff, C.
 Kinuno, H. *see* Koike, T.
 Kjekshus, H. *see* Ahmed, M.S.
 Kjolby, M.J., Kompanowska-Jezierska, E., Wamberg, S. & Bie, P. Effects of sodium intake on plasma potassium and renin angiotensin aldosterone system in conscious dogs, 225
 Knardahl, S. *see* Jensen, J.
 Koike, T., Tomoda, F., Kinuno, H., Inoue, H. & Takata, M. Abnormal renal structural alterations during the development of diabetes mellitus in Otsuka Long-Evans Tokushima Fatty rats, 73
 Koivisto, A.-P. *see* Bogdanova, A.
 Kompanowska-Jezierska, E. *see* Kjolby, M.J.
 Korhonen, I. *see* Leppäluoto, J.
 Kotz, C.M. *see* Levine, J.A.
 Koulmann, N. *see* Letout, A.
 Leppäluoto, J., Pääkkönen, T., Korhonen, I. & Hassi, J. Pituitary and autonomic responses to cold exposures in man, 255

- Letout, A., Solares-Espinoza, M., Mateo, P., Koulmann, N., Bahi, L., Serrurier, B., Favier, R., Ventura-Clapier, R. & Bigard, X. Adaptive changes in cardiac myosin heavy chain and creatine kinase isozymic profiles in rats native of altitude, 95
- Levine, J.A. & Kotz, C.M. NEAT – non-exercise activity thermogenesis – egocentric & geocentric environmental factors vs. biological regulation, 309
- Liu, X.L. *see* Tiidus, P.M.
- Lombardi, A. *see* Silvestri, E.
- Lompré, A.-M. *see* Divet, A.
- von Lueder, T.G. *see* Ahmed, M.S.
- Madsen, K. *see* Nielsen, J.S.
- Madsen, M. *see* Roepstorff, C.
- Mamchaoui, K. *see* Mouly, V.
- Mateo, P. *see* Letout, A.
- Matsunaga, S. *see* Mishima, T.
- Mishima, T., Yamada, T., Matsunaga, S. & Wada, M. *N*-acetylcysteine fails to modulate the *in vitro* function of sarcoplasmic reticulum of diaphragm in the final phase of fatigue, 195
- Miyake, M. *see* Waki, H.
- Miyamoto, Y. *see* Waki, H.
- Mori, H. *see* Kawada, T.
- Mork, H.K., Haug, T.M. & Sand, O. Contribution of different Ca^{2+} -activated K^{+} channels to the first phase of the response to TRH in clonal rat anterior pituitary cells, 141
- Mouly, V., Aamiri, A., Bigot, A., Cooper, R.N., Di Donna, S., Furling, D., Gidaro, T., Jacquemin, V., Mamchaoui, K., Negroni, E., Périé, S., Renault, V., Silva-Barbosa, S.D. & Butler-Browne, G.S. The mitotic clock in skeletal muscle regeneration, disease and cell mediated gene therapy, 3
- Nagayama, T. *see* Waki, H.
- Negroni, E. *see* Mouly, V.
- Nguyen, L.-D. *see* Nottin, S.
- Nielsen, J.S., Madsen, K., Jorgensen, L.V. & Sahlin, K. Effects of lengthening contraction on calcium kinetics and skeletal muscle contractility in humans, 203
- Nottin, S., Nguyen, L.-D., Terbah, M. & Obert, P. Reply, 83
- Obert, P. *see* Nottin, S.
- Oie, E. *see* Ahmed, M.S.
- O-Ishi, H. *see* Waki, H.
- Okouchi, T. *see* Waki, H.
- Pääkkönen, T. *see* Leppäluoto, J.
- Petersson, J. *see* Henriksnäs, J.
- Périé, S. *see* Mouly, V.
- Phillipson, M. *see* Henriksnäs, J.
- Raney, M.A. *see* Turcotte, L.P.
- Rembold, C.M. *see* Frobert, O.
- Renault, V. *see* Mouly, V.
- Rider, M.H. *see* Roepstorff, C.
- Roepstorff, C., Schjerling, P., Vistisen, B., Madsen, M., Steffensen, C.H., Rider, M.H. & Kiens, B. Regulation of oxidative enzyme activity and eukaryotic elongation factor 2 in human skeletal muscle: influence of gender and exercise, 215z
- Ruzzin, J. *see* Jensen, J.
- Sager, G. *see* Kamycheva, E.
- Sahlin, K. *see* Nielsen, J.S.
- Sanchez Horneros, J.M. *see* Degens, H.
- Sand, O. *see* Mork, H.K.
- Schiavo, L. *see* Silvestri, E.
- Schjerling, P. *see* Roepstorff, C.
- Sejersted, O.M. *see* Sjaastad, I.
- Serrurier, B. *see* Letout, A.
- Shimizu, T. *see* Waki, H.
- Shimokawa, T. *see* Terada, S.
- Shishido, T. *see* Kawada, T.
- Silva-Barbosa, S.D. *see* Mouly, V.
- Silvestri, E., Schiavo, L., Lombardi, A. & Goglia, F. Thyroid hormones as molecular determinants of thermogenesis, 265
- Sjaastad, I., Birkeland, J.A., Ferrier, G., Howlett, S., Skomedal, T., Bjørnerheim, R., Wasserstrom, J.A. & Sejersted, O.M. Defective excitation-contraction coupling in hearts of rats with congestive heart failure, 45
- Skomedal, T. *see* Sjaastad, I.
- Skott, O. *see* Bistrup, C.
- Solares-Espinoza, M. *see* Letout, A.
- Steffensen, C.H. *see* Roepstorff, C.
- Sugimachi, M. *see* Kawada, T.
- Sundberg, C.J. *see* Wiik, A.
- Sundsford, J. *see* Kamycheva, E.
- Tabata, I. *see* Terada, S.
- Takata, M. *see* Koike, T.
- Terada, S., Kawanaka, K., Goto, M., Shimokawa, T. & Tabata, I. Effects of high-intensity intermittent swimming on PGC-1 α protein expression in rat skeletal muscle, 59
- Terbah, M. *see* Nottin, S.
- Thiesson, H.C. *see* Bistrup, C.
- Thorén, P. *see* Hemdahl, A.-L.
- Tiidus, P.M., Deller, M. & Liu, X.L. Oestrogen influence on myogenic satellite cells following downhill running in male rats: a preliminary study, 67
- Todd, M.K. *see* Turcotte, L.P.
- Tomoda, F. *see* Koike, T.
- Trayhurn, P. Endocrine and signalling role of adipose tissue: new perspectives on fat, 285
- Turcotte, L.P., Raney, M.A. & Todd, M.K. ERK1/2 inhibition prevents contraction-induced increase in plasma membrane FAT/CD36 content and FA uptake in rodent muscle, 131
- Ventura-Clapier, R. *see* Letout, A.
- Vistisen, B. *see* Roepstorff, C.
- Wada, M. *see* Mishima, T.
- Wago, H. *see* Waki, H.
- Waki, H., Katahira, K., Yamasaki, M., Nagayama, T., Katsuda, S., Wago, H., Okouchi, T., O-Ishi, H., Miyake, M., Miyamoto, Y. & Shimizu, T. Effects of spaceflight on postnatal development of arterial baroreceptor reflex in rats, 17
- Wamberg, S. *see* Kjølby, M.J.
- Wasserstrom, J.A. *see* Sjaastad, I.
- Weber, J.-M. & Haman, F. Fuel selection in shivering humans, 319
- Wiik, A., Gustafsson, T., Esbjörnsson, M., Johansson, O., Ekman, M., Sundberg, C.J. & Jansson, E. Expression of oestrogen receptor α and β is higher in skeletal muscle of highly endurance-trained than of moderately active men, 105
- Yamada, T. *see* Mishima, T.
- Yamasaki, M. *see* Waki, H.
- Yamazaki, T. *see* Kawada, T.

Subject index

- acetylcholine, 187
- acid secretion, 151
- adipocytes, 285
- adipokines, 285
- adrenaline, 121, 255
- aldosterone, 113, 161, 225
- AMP kinase, 59
- AMP-activated protein kinase, 131
- angiotensin, 225
- antioxidant, 195
- aortic nerve, 17
- atherosclerosis, 87
- ATPase, 173
- atrial natriuretic peptide, 225

- baroreflex, 17
- beta-adrenergic receptors, 121
- blood pressure, 17, 113
- brown adipose tissue, 265

- cachexia, 235
- calcium, 113
- calcium handling capacity, 195
- calcium kinetics, 203
- calcium-induced calcium release, 45
- capillarization, 105
- cardiac microdialysis, 187
- catch-up growth, 295
- cats, 187
- citrate synthase, 95
- cold, 265
- congestive heart failure, 45
- connective tissue growth factor, 27
- contractile properties, 235
- contraction time, 235
- coronary artery occlusion, 187
- corticosterone, 161
- crossover concept, 319
- cyclopiazonic acid, 173

- diabetic nephropathy, 73
- diaphragm, 195

- eccentric exercise, 203
- electrical stimulation, 131
- electrocardiogram, 87
- electromyography, 319
- electrophysiology, 141
- endocrinology, 141
- energy expenditure, 265, 309
- energy metabolism, 95, 319
- erythrocytes, 243
- eukaryotic elongation factor-2, 215
- excitation-contraction coupling, 45
- exercise, 67
- exercise training, 215
- extracellular matrix, 27

- fatigue, 195, 235
- fatty acid metabolism, 131
- females, 215
- fibre type, 203
- fibroblast, 27
- flow-pressure relationship, 73
- force, 235
- force-frequency curve, 235
- fuel selection mechanisms, 319

- gastric mucosal blood flow, 151
- gastric mucus, 151
- gene expression, 27, 105, 215
- genetic selection, 95
- glomerular hypertension, 73
- glucose metabolism, 121
- glucose uptake, 131
- GLUT-4, 59
- glycogen, 59
- glycogen synthase, 121

- haemoglobin oxidation, 243
- heart failure, 27
- high-intensity intermittent exercise, 59
- hindlimb perfusion, 131
- hypertension, 113
- hypoxia, 37, 87

- immunohistochemistry, 105
- in vivo*, 151
- infarction, 87
- inflammation, 285
- insulin-like growth factor-1, 3
- iodothyronine, 265
- ischaemia, 87

- kidney, 161

- lactate dehydrogenase, 95
- laser-Doppler, 151
- lengthening contractions, 203
- low birth weight, 295
- low-intensity prolonged exercise, 59

- malnutrition, 309
- Mdx skeletal muscle, 173
- membrane permeation, 243
- metabolism, 37
- methaemoglobin, 243
- microdialysis, 37
- mitochondria, 59, 265
- mouse, 151
- mRNA, 215
- muscle, 121
- muscle contractility, 203
- muscle damage, 67

- muscle glycogen, 319
- muscle metabolites, 203
- muscle regeneration, 3
- muscle repair, 67
- myoblast transplantation, 3
- myocardial infarction, 45
- myocardium, 87, 187

- nephrotic syndrome, 161
- neutrophils, 67
- nitrite transport, 243
- non-exercise activity thermogenesis, 309
- noradrenaline, 187, 255
- nutrition, 265

- obesity, 285, 295, 309
- oestrogen, 67
- ontogenetic development, 95
- Otsuka Long-Evans Tokushima Fatty rats, 73
- oxidative capacity, 105
- oxidative enzymes, 215
- oxygenation dependency, 243

- parathyroid hormone, 113
- PD-98059, 131
- phosphocreatine, 203
- physical activity, 309
- physical exercise, 105
- PKB, 121
- plasma renin activity, 225
- plasma volume, 225
- postnatal development, 17
- potassium channels, 141
- puromycin aminonucleoside, 161

- reactive oxygen species, 195
- remodelling, 27
- renal vascular structure, 73
- renin, 113
- right ventricular hypertrophy, 95

- sarcoplasmic reticulum, 195, 203
- sarcoplasmic reticulum Ca^{2+} , 173
- satellite cells, 67
- seasonality, 255
- serum and glucocorticoid induced kinase, 161
- shivering thermogenesis, 319
- signal transduction, 37
- smooth muscle, 37
- Sprague-Dawley rat, 17

- telomerase, 3
- telomeres, 3
- thermogenesis, 265, 295
- thyroid hormone, 265
- thyrotropin, 255
- Thyrotropin-releasing hormone, 141
- thyroxine, 255
- triiodothyronine, 255

- uncoupling protein, 265

- vascular endothelial growth factor, 105
- vasodilated perfused kidney, 73
- vasodilation, 37
- vasopressin, 225
- volume natriuresis, 225

- weight cycling, 295
- weightlessness, 17

